













The superior results of the proposed DNN model suggest that representation learning can significantly enhance Mastitis detection. Representation learning means that a model solves a problem while learning how to represent that problem, and due to the expansive structure of the deep neural network, the learned representation includes the nuances and intricacies of the problem, and this seems to have enhanced Mastitis detection.

## ACKNOWLEDGMENTS

Collecting data for this study was carried out with the help of the technical support at DeLaval, given by Adrian Garner. The authors acknowledge contributions from Mr. Garner and other persons at Van Leeuwen Dairy Farm in Makikihi, Canterbury, New Zealand.

## REFERENCES

- Chollet, François. (2015). *Keras*. 2015, <https://keras.io/>.
- Goodfellow, Ian, Yoshua Bengio, and Aaron Courville. (2016). *Deep Learning*. The MIT Press, 2016, <http://www.deeplearningbook.org/>.
- Halasa, T., K. Huijps, O. Østerås, and H. Hogeveen. (2007). “Economic Effects of Bovine Mastitis and Mastitis Management: A Review.” *Veterinary Quarterly*, vol. 29, no. 1, pp. 18–31, doi:10.1080/01652176.2007.9695224.
- Hassan, K. J., S. Samarasinghe, and M. G. Lopez-Benavides. (2008). “Use of Neural Networks to Detect Minor and Major Pathogens That Cause Bovine Mastitis.” *Journal of Dairy Science*, vol. 92, pp. 1493–99, doi:10.3168/jds.2008-1539.
- Heidelberg, Roy L. (2015). “The Power of Knowing the Rules - DeLaval Online Cell Counter OCC for VMS.” *American Review of Public Administration*, pp. 1–17, doi:10.1177/0275074015575353.
- Hinton, Geoffrey E., Simon Osindero, and Yee-Whye Teh. (2006). “A Fast Learning Algorithm for Deep Belief Nets.” *Neural Computation*, vol. 18, no. 7, pp. 1527–54, doi:10.1162/neco.2006.18.7.1527.
- Hogeveen, Henk, Claudia Kamphuis, Wilma Steeneveld, and Herman Mollenhorst. (2010). “Sensors and Clinical Mastitis-the Quest for the Perfect Alert.” *Sensors*, vol. 10, no. 9, pp. 7991–8009, doi:10.3390/s100907991.
- Huybrechts, T., K. Mertens, J. De Baerdemaeker, B. De Ketelaere, and W. Saeys. (2014). “Early Warnings from Automatic Milk Yield Monitoring with Online Synergistic Control.” *Journal of Dairy Science*, vol. 97, no. 6, Elsevier, pp. 3371–81, doi:10.3168/jds.2013-6913.
- Jones, G. M., and T. L. Bailey. (2009). “Understanding the Basics of Mastitis.” *Virginia Cooperative Extension*, vol. 404, no. 233, pp. 1–5, doi:10.1108/02621711111098406.
- Kingma, Diederik P., and Jimmy Ba. (2014). *Adam: A Method for Stochastic Optimization*. pp. 1–15, doi:<http://doi.acm.org.ezproxy.lib.ucf.edu/10.1145/1830483.1830503>.
- Lewis, Nigel Da Costa. (2016). *Deep Learning Made Easy with R: A Gentle Introduction for Data Science*. 2016.
- Mammadova, Nazira M., and Ismail Keskin. (2015). “Application of Neural Network and Adaptive Neuro-Fuzzy Inference System to Predict Subclinical Mastitis in Dairy Cattle.” *Indian Journal of Animal Research*, vol. 49, no. OF, pp. 671–79, doi:10.18805/ijar.5581.
- Petrovski, K. R., M. Trajcev, and G. Buneski. (2006). “A Review of the Factors Affecting the Costs of Bovine Mastitis.” *Journal of the South African Veterinary Association*, vol. 77, no. 2, pp. 52–60.
- Rutten, C. J., a G. J. Velthuis, W. Steeneveld, and H. Hogeveen. (2013). “Invited Review: Sensors to Support Health Management on Dairy Farms.” *Journal of Dairy Science*, vol. 96, no. 4, Elsevier, pp. 1928–52, doi:10.3168/jds.2012-6107.
- Sun, Zhibin, Sandhya Samarasinghe, and Jenny Jago. (2009). *Detection of Mastitis and Its Stage of Progression by Automatic Milking Systems Using Artificial Neural Networks*. doi:10.1017/S0022029909990550.
- Viguier, Caroline, Sushrut Arora, Niamh Gilmartin, Katherine Welbeck, and Richard O’Kennedy. (2009). “Mastitis Detection: Current Trends and Future Perspectives.” *Trends in Biotechnology*, vol. 27, no. 8, pp. 486–93, doi:10.1016/j.tibtech.2009.05.004.